

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S38	56	(FIFO or queue).ti,ab. and (FIFO or queue) near10 operation adj5 (principle or mechanism)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/14 10:48
S37	0	(FIFO or queue).ti,ab. and (FIFO or queue) with (data or output) near10 (retain\$3 or remain\$3 or stay or maintain or hold or "same" or "unchanged") adj10 (until or after) adj10 (subsequent or following or next) adj10 (read or write)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/14 10:44
S36	48	S33 and (event or request) near10 process\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/14 09:29
S33	49	S30 and (MIMD or parallel or pipelin\$3 or streamlin\$3 or stream\$3) and (multiple or plurality or three or two or "more than" or "at least") adj10 (stage or module or part or component or node or process\$3 or unit or element or block) with (autonomous\$2 or independent\$2 or concurrent \$2 or asynchronous\$2 or self-contained)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/14 09:27
S32	0	S30 and S31	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/14 09:27
S31	101	S21 and (MIMD or parallel or pipelin\$3 or streamlin\$3 or stream\$3) and (multiple or plurality or three or two or "more than" or "at least") adj10 (stage or module or part or component or node or process\$3 or unit or element or block) with (autonomous\$2 or independent\$2 or concurrent \$2 or asynchronous\$2 or self-contained)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/14 09:26

S30	202	(@AD<"20030423" or @RLAD<"20030423") and (maintain\$3 or remain\$3 or retain\$3 or remov\$3 or delet\$3) near10 (input or read\$3) adj10 (buffer or queue or FIFO) with (until or unless or after or before) with (output \$4 or writ\$3 or complet\$3) adj10 (buffer or queue or FIFO)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/14 09:23
S29	181	(@AD<"20030423" or @RLAD<"20030423") and (retain\$3 or remov\$3 or delet\$3) with (input or read\$3) adj10 (buffer or queue or FIFO) with (until or unless or after or before) with (output \$4 or writ\$3 or complet\$3) adj10 (buffer or queue or FIFO)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/14 09:22
S28	0	S27 and secur\$3 near5 transfer\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/14 09:19
S27	54	S26 and (input or putput) near10 (buffer or queue or FIFO) near10 (stage or module or part or component or node or process\$3 or unit or element or block)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/14 09:18
S26	73	S21 and MIMD	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/14 09:17
S25	15	S23 and (buffer or queue or FIFO) near10 (interfac\$3 or between or associated) adj10 (stage or module or part or component or node or process \$3 or unit or element or block)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/14 08:53
S24	15	S23 and (buffer or queue or FIFO) near10 (between or associated) adj10 (stage or module or part or component or node or process\$3 or unit or element or block)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/14 08:51

S23	174	S22 and (buffer or queue or FIFO) near10 (stage or module or part or component or node or process\$3 or unit or element or block)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/14 08:51
S22	343	S21 and (pipelin\$3 or streamlin\$3 or stream\$3 or realtime or (real adj time)) and (multiple or plurality or three or two or "more than" or "at least") adj10 (stage or module or part or component or node or process\$3 or unit or element or block)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/14 08:49
S21	789	(mediat\$3) adj3 (system or solution or apparatus)and (@AD<"20030423" or @RLAD<"20030423") and (event or request) near10 process\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/14 08:45

2/ 22/ 08 2:58:05 PM

C:\Documents and Settings\WLin\My Documents\EAST\Workspaces\10_518553.wsp